

Aboriginal and Torres Strait Islander Disability Statistics







- 1. Current ABS measures of disability for Aboriginal and Torres Strait Islander peoples
 - Short Disability Module
 - Need for Assistance Module
- 2. Methodology comparisons
- 3. Survey strengths & cultural considerations
 - 4. Results of disability measures
 - 5. Using the data to inform
 - 6. ABS cognitive testing of the Washington Group questions



Current measures of disability for Aboriginal and Torres Strait Islander people

The Short Disability Module

Up to 15 questions and a series of prompt cards to identify people with disability and determine their severity of restriction.



Used within ABS surveys:

- National Aboriginal and Torres Strait Islander Social Survey (**NATSISS**)
- National Aboriginal and Torres Strait Islander Health Survey (NATSIHS)
- Questions used are compatible with the Activities and Participation component of the International Classification of Functioning and are based directly on the questions used in the SDAC (Survey of Disability, Ageing & Carers)



'Severity of disability" output broadly comparable to the same concept in the SDAC



Current measures of disability for Aboriginal and Torres Strait Islander people



The Short Disability Module (cont'd)

Questions 1-6

Determine the presence or absence of various health conditions, impairments, limitations or restrictions

The next set of questions determine whether the person has a core-activity (the activities of selfcare, mobility and communication) limitation and the severity of that limitation:

2nd set of Questions 3rd set
Determine the person's need for assistance
Determine the person's possible use of aids

Remaining questions are asked of people aged less than 65 years, to determine whether the person has an education or employment (15-64y) restriction.



Current measures of disability for Aboriginal and Torres Strait Islander people

The Need for Assistance Module

- 4 questions to identify people who had need for assistance with one of the core activity areas of self care, communication or mobility because of a disability, long term health condition or the effects of old age.
- Used in the Australian **Census of Population and Housing**
- Output conceptually related to those with 'profound/severe core-activity limitation' – for whom service delivery has the most consequence.



Current measures of disability for Aboriginal and Torres Strait Islander people



The Need for Assistance Module (cont'd)







The Need for Assistance Module

20	Does the person ever need someone to help with, or be with them for, self care activities? • For example: doing everyday activities such as eating, showering, dressing or toileting (i) Visit www.abs.gov.au/censushelp for more information.	 Yes, always Yes, sometimes No
21	 Does the person ever need someone to help with, or be with them for, body movement activities? For example: getting out of bed, moving around at home or at places away from home. 	 Yes, always Yes, sometimes No
22	Does the person ever need someone to help with, or be with them for, communication activities? • For example: understanding, or being understood by, others.	 Yes, always Yes, sometimes No
23	 What are the reasons for the need for assistance or supervision shown in questions 20, 21 and 22? Mark all applicable reasons. Remember to mark boxes like this: — 	 No need for help or supervision Short-term health condition (lasting less than six months) Long-term health condition (lasting six months or more) Disability (lasting six months or more) Old or young age Difficulty with English language Other cause



Comparison of Methodology

	Short Disability Module -NATSISS -NATSIHS	Need for Assistance -Census
Age	NATSISS - 15yrs + NATSIHS – all ages	All ages
Scope	Households only	All Dwellings
Interview Method	F2F Computer-assisted Interviewing (CAI). Some questions re-worded to enhance understanding of concepts	Self-enumerated forms most areas; special interviewer forms used in remote Indigenous Communities
Respondent	Individual (self-response) for persons aged 15y+. Proxy for those unable to complete the survey	An adult - on behalf of the household or Individual (self-response).
Number of questions	10 questions to identify those with disability or long-term health conditions and determine severity of restriction.	4 questions - 3 about the need for help in core activity areas of self-care, mobility and communication and 4 th providing a reason for that need.



Comparison of Methodology... Continued

	Short Disability Module -NATSISS -NATSIHS	Need for Assistance -Census
Collection type	Population Survey	Census
Number of people responding	NATSISS 2014-15 – 11,000 people NATSIHS 2012-13 9,300 people	Majority of the population
Concept of Disability	Captures those with different levels of core activity limitation, type of restriction and disability type.	Captures only those with profound/severe core activity limitation with one of the core activity areas of self-care, communication or mobility



Limitations with methodology



Short Disability Module (NATSISS, NATSIHS)



- Does not identify the total population with limitations or disability.
- Does not capture people in cared facilities.

Need for Assistance (Census)

- Does not identify everyone with severe or profound disability.
- Does not identify anyone with mild or moderate disability.
- Does not include any adjustment for non-response.



Collecting information in the Aboriginal and Torres Strait Islander community



- Cognitive testing of question modules to help address conceptual understanding
- ABS Engagement Managers establish local level engagement and community support
 - Local facilitators employed to help conquer the language barrier and assist with access and acceptance
- Supplementary wording available in survey questionnaire to assist with respondent comprehension.



All interviewers undertake cultural awareness training



Household screening for identification – not assumed



Strengths of the NATSISS & NATSIHS



Local Facilitators

- Local Aboriginal and Torres Strait Islander people
- Facilitate acceptance into community
- Support and advise field interviewers

ABS Round Table on Aboriginal and Torres Strait Islander Statistics Membership is Aboriginal and Torres
Strait Islander people with local level
knowledge & experience
Provide advice on operational
processes and community engagement



Results of disability measures for Aboriginal and Torres Strait Islander peoples

Aboriginal and Torres Strait Islander persons aged 15 years and over	% With Disability	% Profound/Severe Disability
NATSIHS 2012-13	45.0	7.4
NATSISS 2014-15	45.1	7.7
Census 2016 (need for assistance)	N/A	8.0



Using the data to inform



Partnership with First Peoples Disability Network, built on trust

- Limited data available that genuinely reflects the prevalence and nature of disability among Aboriginal and Torres Strait Islander Peoples
- Stories brought to life, enhancing our understanding of lived experiences of Aboriginal and Torres Strait Islander people with disability





Results of Cognitive Testing of the WG questions for the NATSIHS 2018/19

- > We tested the WG questions in Feb 2017 in remote and non-remote settings through 10 face-to-face interviews.
 - In the non-remote (urban) setting no significant issues were raised with the questions.

In the **remote** locations, the following issues were encountered:

- respondents were not always thinking about difficulties 'due to a health problem', particularly around difficulty being understood
- 'washing all over' was interpreted incorrectly by many respondents interpreted as washing clothes rather than self-care.
- 'difficulty' not well understood by respondents for many, English was not their first language.
- question about communication caused confusion as the question is long and wordy.
- Several respondents had difficulty determining their 'usual' language. Some interpreted this as their 'traditional' language.



Questions?

